



Product Service

CERTIFICATE

No. Z1A 14 01 76803 011

Holder of Certificate: **GUANGDONG ELX LIGHTING TECHNOLOGY CO., LTD**

NO.5 Liangyuan Road, Duruan Town, Pengjiang District
529075 Jiangmen City, Guangdong
PEOPLE'S REPUBLIC OF CHINA

Certification Mark:



Product: **Flood lights (Floodlight)**

Tested according to: EN 60598-2-5:1998
EN 60598-1/A11:2009
EN 62493:2010
ZEK 01.4-08

The product meets the safety and health requirements of the German Product Safety Act section 20 to 22 ProdSG. The certification marks shown above can be affixed on the product. It is not permitted to alter the certification marks in any way. In addition the certificate holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. See also notes overleaf.

Test report no.: 681401330101

Valid until: 2019-01-25



(Handwritten signature)
(Jerry Tang)

Date, 2014-01-27

Page 1 of 3



Attestation of Conformity
No. N8 14 01 76803 012

Model(s):

TGS066-WJ40/T; TGS066-WJ60/T; TGS066-WJ80/T;
TGS066-WJ100/T; TGS066-WJ40/C; TGS066-WJ60/C;
TGS066-WJ80/C; TGS066-WJ100/C; TGS068-WJ40/C;
TGS068-WJ60/C; TGS068-WJ80/C; TGS068-WJ100/C;
TGS066-WJ120/T; TGS066-WJ150/T; TGS066-WJ200/T;
TGS066-WJ120/C; TGS066-WJ150/C; TGS066-WJ200/C;
TGS068-WJ120/C; TGS068-WJ150/C; TGS068-WJ200/C;
TGS066-WJ250/T; TGS066-WJ300/T; TGS066-WJ250/C;
TGS066-WJ300/C; TGS068-WJ250/C; TGS068-WJ300/C

Parameters:

Rated Voltage :	100-240VAC
Rated Frequency :	50/60Hz
Rated Power :	See page 3 for details
Protection Class :	I
Degree of Protection :	IP66

**Tested
according to:**

EN 60598-2-5:1998
EN 60598-1/A11:2009
EN 62493:2010

Attestation of Conformity
No. N8 14 01 76803 012



Product Service

Model	Rated power (W)
TGS066-WJ40/T	40
TGS066-WJ60/T	60
TGS066-WJ80/T	80
TGS066-WJ100/T	100
TGS066-WJ40/C	40
TGS066-WJ60/C	60
TGS066-WJ80/C	80
TGS066-WJ100/C	100
TGS068-WJ40/C	40
TGS068-WJ60/C	60
TGS068-WJ80/C	80
TGS068-WJ100/C	100
TGS066-WJ120/T	120
TGS066-WJ150/T	150
TGS066-WJ200/T	200
TGS066-WJ120/C	120
TGS066-WJ150/C	150
TGS066-WJ200/C	200
TGS068-WJ120/C	120
TGS068-WJ150/C	150
TGS068-WJ200/C	200
TGS066-WJ250/T	250
TGS066-WJ300/T	300
TGS066-WJ250/C	250
TGS066-WJ300/C	300
TGS068-WJ250/C	250
TGS068-WJ300/C	300



Product Service

CERTIFICATE

No. Z1A 14 01 76803 011

Model(s): TGS066-WJ40/T; TGS066-WJ60/T; TGS066-WJ80/T;
TGS066-WJ100/T; TGS066-WJ40/C; TGS066-WJ60/C;
TGS066-WJ80/C; TGS066-WJ100/C; TGS068-WJ40/C;
TGS068-WJ60/C; TGS068-WJ80/C; TGS068-WJ100/C;
TGS066-WJ120/T; TGS066-WJ150/T; TGS066-WJ200/T;
TGS066-WJ120/C; TGS066-WJ150/C; TGS066-WJ200/C;
TGS068-WJ120/C; TGS068-WJ150/C; TGS068-WJ200/C;
TGS066-WJ250/T; TGS066-WJ300/T; TGS066-WJ250/C;
TGS066-WJ300/C; TGS068-WJ250/C; TGS068-WJ300/C

Brand Name: ELX LIGHTING

Parameters:

Rated Voltage :	100-240VAC
Rated Frequency :	50/60Hz
Rated Power :	See page 3 for details
Protection Class :	I
Degree of Protection :	IP66

Factory(ies): 76803

CERTIFICATE
No. Z1A 14 01 76803 011



Product Service

Model	Rated power (W)
TGS066-WJ40/T	40
TGS066-WJ60/T	60
TGS066-WJ80/T	80
TGS066-WJ100/T	100
TGS066-WJ40/C	40
TGS066-WJ60/C	60
TGS066-WJ80/C	80
TGS066-WJ100/C	100
TGS068-WJ40/C	40
TGS068-WJ60/C	60
TGS068-WJ80/C	80
TGS068-WJ100/C	100
TGS066-WJ120/T	120
TGS066-WJ150/T	150
TGS066-WJ200/T	200
TGS066-WJ120/C	120
TGS066-WJ150/C	150
TGS066-WJ200/C	200
TGS068-WJ120/C	120
TGS068-WJ150/C	150
TGS068-WJ200/C	200
TGS066-WJ250/T	250
TGS066-WJ300/T	300
TGS066-WJ250/C	250
TGS066-WJ300/C	300
TGS068-WJ250/C	250
TGS068-WJ300/C	300